

Danner, Ward

From: Carmen Santos <Santos.Carmen@epamail.epa.gov>
Sent: Wednesday, March 27, 2013 1:10 PM
To: Santos, Carmen
Subject: Fw: Aspire - EPA TSCA Document Review

Carmen D. Santos
PCB Coordinator
RCRA Corrective Action Office (WST-5)
Waste Management Division
USEPA Region 9
415.972.3360
santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the things you can think up if only you try!" Dr. Seuss

[This e-mail message, including any attachments, may contain non-public, privileged and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail message and its attachments is strictly prohibited by law.]

 **Before printing this e-mail think if it is necessary. Think Green!**

----- Forwarded by Carmen Santos/R9/USEPA/US on 03/27/2013 01:09 PM -----

From: Carmen Santos/R9/USEPA/US
To: "Goloubow, Ron" ,
Date: 11/08/2010 04:55 PM
Subject: RE: Aspire - EPA TSCA Document Review

Hello Ron:

I need to talk with you. Do you have time tomorrow November 9? Please let me know what would be a convenient time.

Regards,
Carmen

Carmen D. Santos, PCB Coordinator
RCRA Corrective Action Office
Waste Management Division
USEPA Region 9
voice: 415.972.3360

e-mail: santos.carmen@epa.gov

"Come to the edge....We can't, we are afraid....

Come to the edge....We can't, we will fall....

And they came to the edge....And he pushed them....And they flew...." Appolinaire.

▼ "Goloubow, Ron" ---10/21/2010 09:12:17 AM---Can you give me an update as to where you are on this project? The last time we spoke Aspire was goi

From: "Goloubow, Ron"

To: Carmen Santos/R9/USEPA/US@EPA

Date: 10/21/2010 09:12 AM

Can you give me an update as to where you are on this project?

The last time we spoke Aspire was going to move three 10*10*2 foot areas of surficial soil containing PCBs greater than 0.130 mg/kg to the excavation area EXC PCB-3 (near the former sump). It was not clear if we needed EPA approval for this or if we can just go ahead and do the work.

I think that was the key issue.

Ron.

Ron Goloubow, PG | Principal Geologist | ron.goloubow@arcadis-us.com
ARCADIS U.S., Inc. | 1900 Powell Street, Suite 1200 | Emeryville, CA 94608
T. 510.596.9550 | M. 510.501-1789 | F. 510.652.2246
www.arcadis-us.com

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise restricted by law.